

**GCSE**  
**COMBINED SCIENCE: TRILOGY**  
**8464/B/1F**

Biology Paper 1F

---

**Mark scheme**

June 2022

---

Version: 1.0 Final Mark Scheme



Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from [aqa.org.uk](http://aqa.org.uk)

#### **Copyright information**

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Copyright © 2022 AQA and its licensors. All rights reserved.

## Information to Examiners

### 1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the examiner make their judgement
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent (for example, a scientifically correct answer that could not reasonably be expected from a student's knowledge of the specification).

### 2. Emboldening and underlining

- 2.1** In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.
- 2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3** Alternative answers acceptable for a mark are indicated by the use of **or**.  
Alternative words in the mark scheme are shown by a solidus eg allow smooth / free movement.
- 2.4** Any wording that is underlined is essential for the marking point to be awarded.

### 3. Marking points

#### 3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of errors / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as \* in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

[1 mark]

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name **two** magnetic materials.

[2 marks]

Student	Response	Marks awarded
1	iron, steel, tin	1
2	cobalt, nickel, nail*	2

#### 3.2 Use of symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, or uses symbols to denote quantities in a physics equation, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

#### 3.3 Marking procedure for calculations

Marks should be awarded for each stage of the calculation completed correctly, as students are instructed to show their working. At any point in a calculation students may omit steps from their working. If a subsequent step is given correctly, the relevant marks may be awarded.

Full marks are **not** awarded for a correct final answer from incorrect working.

#### 3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

### 3.5 Errors carried forward

An error can be carried forward from one question part to the next and is shown by the abbreviation 'ecf'.

Within an individual question part, an incorrect value in one step of a calculation does not prevent all of the subsequent marks being awarded.

### 3.6 Phonetic spelling

Marks should be awarded if spelling is not correct but the intention is clear, **unless** there is a possible confusion with another technical term.

### 3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

### 3.8 Allow

In the mark scheme additional information, 'allow' is used to indicate creditworthy alternative answers.

### 3.9 Ignore

Ignore is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

### 3.10 Do not accept

Do **not** accept means that this is a wrong answer which, even if the correct answer is given as well, will still mean that the mark is not awarded.

### 3.11 Numbered answer lines

Numbered lines on the question paper are intended to support the student to give the correct number of responses. The answer should still be marked as a whole.

## 4. Level of response marking instructions

Extended response questions are marked on level of response mark schemes.

- Level of response mark schemes are broken down into levels, each of which has a descriptor.
- The descriptor for the level shows the average performance for the level.
- There are two marks in each level.

Before you apply the mark scheme to a student's answer, read through the answer and, if necessary, annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

### **Step 1: Determine a level**

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level.

The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer. With practice and familiarity you will find that for better answers you will be able to quickly skip through the lower levels of the mark scheme.

When assigning a level you should look at the overall quality of the answer. Do **not** look to penalise small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level.

Use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 2 with a small amount of level 3 material it would be placed in level 2 but be awarded a mark near the top of the level because of the level 3 content.

### **Step 2: Determine a mark**

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this. The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.

Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do not have to cover all of the points mentioned in the indicative content to reach the highest level of the mark scheme.

You should ignore any irrelevant points made. However, full marks can be awarded only if there are no incorrect statements that contradict a correct response.

An answer which contains nothing of relevance to the question must be awarded no marks.

**Question 1**

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	C		1	AO1 4.2.1 4.2.2.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.2 Mark with 01.3	protease		1	AO1 4.2.2.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.3 Mark with 01.2	acidic		1	AO1
	reason: any <b>one</b> from: <ul style="list-style-type: none"> <li>produces (hydrochloric) acid</li> <li>optimum / best condition for enzyme / protease to act</li> </ul>	allow contains (hydrochloric) acid  allow optimum / best condition to digest food / protein allow ecf from question <b>01.2</b>  allow to kill microorganisms / bacteria / pathogens	1	AO2 4.2.2.1 4.3.1.6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.4	liver		1	AO1 4.2.2.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.5	it increases the surface area of fats		1	AO1 4.2.2.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.6	<p>all three correct for <b>2</b> marks one or two correct for <b>1</b> mark extra line from a box negates that box</p>		2	AO1 4.2.2.1 RPA3



Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.7	any <b>one</b> from: <ul style="list-style-type: none"> <li>• wear goggles</li> <li>• use a water bath to heat the solution / mixture</li> <li>• wash spills from bench / skin</li> </ul>	allow wash hands allow wear gloves  ignore examples such as tie hair back or move bags under bench	1	AO1 4.2.2.1 RPA3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.8	Benedict's and iodine tests only		1	AO3 4.2.2.1 RPA3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.9	any <b>one</b> from: <ul style="list-style-type: none"> <li>• starch (molecule) is (too) large</li> <li>• starch (molecule) is insoluble</li> </ul>	allow idea that starch needs to be broken down into small / soluble molecules	1	AO1 4.2.2.1

<b>Total Question 1</b>		<b>11</b>
-------------------------	--	-----------

**Question 2**

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	cells contain (many) chloroplasts	allow positioned nearest to the light or at the top of the leaf  allow cells are closely packed or no gaps between cells  allow chlorophyll for chloroplast	1	AO1 4.1.1.3 4.2.1 4.2.3.1 4.4.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.2	stomata		1	AO1 4.2.3.1 4.2.3.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.3	$(\text{real length}) = \frac{28}{400}$	allow answer given for length in mm correctly multiplied by 1000	1	AO2 4.1.1.1 4.1.1.2 4.1.1.5 RPA1
	(real length in mm =) 0.07		1	
	(real length in $\mu\text{m}$ =) 70		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.4	diffusion		1	AO1 4.1.3.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.5	A	no marks if wrong cell chosen	1	AO3
	Reason any <b>one</b> from: <ul style="list-style-type: none"> <li>• steeper (diffusion) gradient</li> <li>• bigger difference in concentration of carbon dioxide inside and outside the cell</li> </ul>	allow higher concentration of carbon dioxide outside the cell than inside the cell allow particles / molecules for carbon dioxide	1	AO2 4.1.3.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.6	(number / amount of) bubbles	allow volume of gas / oxygen	1	AO1 4.4.1.2 RPA5
	time	allow suitable time eg 1 / 5 / 10 minutes	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.7	any <b>two</b> from: <ul style="list-style-type: none"> <li>• temperature (of water)</li> <li>• light intensity</li> </ul> or <ul style="list-style-type: none"> <li>distance of light (from pondweed)</li> <li>• concentration of carbon dioxide (in water)</li> </ul>	do <b>not</b> accept colour of light ignore time  allow amount of light ignore light unqualified  allow amount / mass of sodium hydrogen carbonate (in water)  allow type / size of plant ignore volume of water / solution	2	AO3 4.4.1.2 RPA5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.8	y-axis labelled: rate of photosynthesis in arbitrary units	allow $\pm \frac{1}{2}$ a small square the bars can be in any order	1	AO2 4.4.1.2 RPA5
	suitable scale		1	
	all <b>bars</b> plotted correctly		1	
	all bars labelled correctly		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.9	blue		1	AO3 4.4.1.2 RPA5

<b>Total Question 2</b>		<b>17</b>
-------------------------	--	-----------

**Question 3**

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	fungus		1	AO1 4.3.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.2	less / no chlorophyll <b>or</b> chlorophyll has been broken down	allow reference to chloroplasts for chlorophyll	1	AO2 4.4.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.3	less photosynthesis <b>or</b> less light absorbed  (so) less glucose / sugar formed  <b>or</b> less light absorbed (1)  (so) less photosynthesis (1)		1	AO2 4.3.1.4 4.4.1.1 4.4.1.2
			1	



Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.7	drain water from swamps		1	AO2 4.3.1.5

<b>Total Question 3</b>		<b>9</b>
-------------------------	--	----------



Question 4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	nucleus		1	AO2 4.1.1.1 4.1.1.2 4.2.2.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.2	cells never stop dividing		1	AO1 4.2.2.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.3	any <b>one</b> from: <ul style="list-style-type: none"> <li>chemicals enter the lungs (first)</li> <li>chemicals are inhaled</li> <li>chemicals are more concentrated in the lungs</li> </ul>	allow smoke / tar / carcinogens for chemicals ignore nicotine unqualified	1	AO2 4.2.2.6 4.2.2.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.4	(cancer cells transported) in the blood		1	AO2 4.2.2.2 4.2.2.3 4.2.2.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.5	any <b>one</b> from: <ul style="list-style-type: none"> <li>• (smoking) will damage the new lung</li> <li>• (NHS has) limited financial resources</li> <li>• the lung could be used for someone else (who does not smoke)</li> <li>• illness is self-inflicted <b>or</b> person is not attempting to help themselves</li> </ul>	allow poor chance of success allow (smoking) will increase the risk of cancer developing in the new lung allow wastes a healthy lung  allow there is a shortage of lungs	1	AO3 4.2.2.6 4.2.2.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.6	300	answer line takes precedence	1	AO2 4.2.2.6 4.2.2.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.7	any <b>one</b> from: <ul style="list-style-type: none"> <li>• little exposure to ionising radiation</li> <li>• little exposure to the sunlight / UV (light)</li> <li>• more use of sunscreen</li> <li>• little exposure to carcinogens</li>   <li>• little cell / DNA / gene damage</li> </ul>	ignore references to smoking  allow do not use sunbeds  allow better sunscreen allow named carcinogen  allow skin cancer takes a long time to develop	1	AO2 4.2.2.6 4.2.2.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.8	any <b>one</b> from: <ul style="list-style-type: none"> <li>• most new cases each year are in males / people aged 65–69 (years)</li> <li>• new cases per year increases (from age 15) up to 69 (years)</li> <li>• new cases per year decreases from age 69 to 90 (+ years)</li> </ul>	allow any upper age of 65-69	1	AO3 4.2.2.6 4.2.2.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.9	any <b>two</b> from: <ul style="list-style-type: none"> <li>• improved treatment / drugs</li> <li>• earlier diagnosis</li> <li>• improved cancer screening</li>   <li>• improved patient / doctor knowledge (of dangers / treatments)</li> </ul>	allow improved technology / machinery allow improved patient diet / lifestyle	2	AO3 4.2.2.6 4.2.2.7

<b>Total Question 4</b>		<b>10</b>
-------------------------	--	-----------

**Question 5**

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	both have a cell membrane		1	AO1 4.1.1.1
	both have cytoplasm		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.2	any <b>one</b> from: <ul style="list-style-type: none"> <li>• fever</li> <li>• abdominal / stomach cramps</li> </ul>	ignore vomiting / sickness / diarrhoea ignore feel unwell unqualified ignore rashes  allow high temperature allow sweating / chills	1	AO1 4.3.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.3	penicillin	allow phonetic spelling	1	AO2 4.3.1.9

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.4	any <b>one</b> from: <ul style="list-style-type: none"> <li>only a few bacteria killed so live bacteria continued to reproduce</li> <li>time delay before antibiotic reached bacteria</li> <li>time delay before antibiotic could kill bacteria</li> </ul>	allow bacteria reproducing when course started  allow takes time (for antibiotic) to travel through the body allow takes time (for antibiotic) to work	1	AO3 4.3.1.1 4.3.1.3 4.3.1.8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.5	there were fewer toxins in the body than at day 0		1	AO2 4.3.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.6	to reduce / prevent resistant strains / bacteria developing  <b>or</b>  to reduce / prevent antibiotic resistance (in bacteria)	ignore references to bacteria becoming immune   allow because they will get better without taking any antibiotics ignore body will fight the infection unqualified  allow some infections are caused by viruses  allow because they have been told not to by NHS / NICE	1	AO1 4.3.1.8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.7	B		1	AO2 4.2.2.3 4.3.1.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.8	D		1	AO2 4.2.2.3

<b>Total Question 5</b>		<b>9</b>
-------------------------	--	----------

**Question 6**

<b>Question</b>	<b>Answers</b>	<b>Extra information</b>	<b>Mark</b>	<b>AO / Spec. Ref.</b>
<b>06.1</b>	gene  chromosome  nucleus  cell	must be in this order	1	AO1 4.1.1.1 4.1.1.2 4.1.2.1

<b>Question</b>	<b>Answers</b>	<b>Extra information</b>	<b>Mark</b>	<b>AO / Spec. Ref.</b>
<b>06.2</b>	differentiation	ignore specialisation	1	AO1 4.1.1.4

<b>Question</b>	<b>Answers</b>	<b>Extra information</b>	<b>Mark</b>	<b>AO / Spec. Ref.</b>
<b>06.3</b>	4	allow 15	1	AO2 4.1.2.2

<b>Question</b>	<b>Answers</b>	<b>Extra information</b>	<b>Mark</b>	<b>AO / Spec. Ref.</b>
<b>06.4</b>	46	allow 23 pairs (of chromosomes)	1	AO2 4.1.2.1 4.1.2.2



Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.5	<p><b>Stage 1</b> any <b>one</b> from:</p> <ul style="list-style-type: none"> <li>• (cell) growth</li> <li>• increase in number of sub-cellular structures</li> <li>• DNA replicates</li> <li>• chromosomes double / duplicate / replicate</li> </ul> <p><b>Stage 2</b> any <b>one</b> from:</p> <ul style="list-style-type: none"> <li>• (one set of) chromosomes pulled to each end of cell</li> <li>• two nuclei form</li> </ul> <p><b>Stage 3</b> any <b>one</b> from:</p> <ul style="list-style-type: none"> <li>• cytoplasm / membrane divides</li> <li>• two identical cells formed</li> </ul>	<p>allow increase in number of organelles / ribosomes / mitochondria</p> <p>allow genetic material for DNA</p> <p>allow DNA doubles / duplicates</p> <p>ignore mitosis occurs</p> <p>allow chromosomes line up across the centre of the cell</p> <p>allow chromosomes move to opposite ends of the cell</p> <p>allow nucleus divides / splits (into two)</p> <p>allow cytokinesis</p>	<p>1</p> <p>1</p> <p>1</p>	<p>AO1 4.1.2.2</p>

Question	Answers	Mark	AO / Spec. Ref.
06.6	<b>Level 2:</b> Scientifically relevant features are identified; the way(s) in which they are similar / different is made clear and (where appropriate) the magnitude of the similarity / difference is noted.	4–6	AO3
	<b>Level 1:</b> Relevant features are identified and differences noted.	1–3	AO2
	<b>No relevant content</b>	0	

	<p><b>Indicative content</b></p> <p>General comparisons:</p> <ul style="list-style-type: none"> <li>• boys height at birth (slightly) greater than girls height</li> <li>• boys are (slightly) taller than girls up to age 11</li> <li>• correct height comparisons eg boys are approximately 4 / 5 cm taller than girls up to age 11</li> <li>• girls and boys are the same height at age 11</li> <li>• girls are taller than boys between age 11 and age 14</li> <li>• girls and boys are the same height at age 14</li> <li>• boys are taller than girls above age 14</li> <li>• correct height comparisons eg boys are 5 to 18 cm taller than girls above age 14</li> <li>• boys (eventually) grow taller than girls</li> <li>• boys carry on growing for a longer time than girls</li> <li>• girls stop growing age 13 / 14 / 15 <b>and</b> boys stop growing age 17 / 18</li> </ul> <p>Rate comparisons:</p> <ul style="list-style-type: none"> <li>• rate of growth similar up to age 10 / 11</li> <li>• girls grow faster than boys between 10 / 11 and 14 allow girls have a greater increase in height between 11 and 14</li> <li>• growth spurt occurs at a younger age in girls</li> <li>• growth spurt starts age 10 / 11 in girls <b>and</b> age 13 / 14 in boys</li> <li>• increased rate of growth in girls aged 10 to 13 /14 <b>and</b> in boys aged 13 to 17 / 18</li> </ul> <p>Key points for Level 2 are correct reference to 0-11 year period, 11-14 period and after age 14, with at least one correct reference to rate of growth or use of correct values of height and age to illustrate rate.</p>		<p>4.1.2.2</p>
--	---	--	----------------

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.7	repair of tissues  or  replacement of cells	ignore growth  allow repair of organs ignore repair of cells  allow replacement of tissues ignore replacement of organs	1	AO1 4.1.1.4

<b>Total Question 6</b>		<b>14</b>
-------------------------	--	-----------