



Pearson
Edexcel

Mark Scheme (Results)

Summer 2022

Pearson Edexcel GCSE
In Mathematics (1MA1)
Foundation (Calculator) Paper 2F

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2022

Question Paper Log Number P66304A

Publications Code 1MA1_2F_2206_MS

All the material in this publication is copyright

© Pearson Education Ltd 2022

General marking guidance

These notes offer general guidance, but the specific notes for examiners appertaining to individual questions take precedence.

1 All candidates must receive the same treatment. Examiners must mark the last candidate in exactly the same way as they mark the first.
Where some judgement is required, mark schemes will provide the principles by which marks will be awarded; exemplification/indicative content will not be exhaustive. When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the response should be sent to review.

2 All the marks on the mark scheme are designed to be awarded; mark schemes should be applied positively. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme. If there is a wrong answer (or no answer) indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

Questions where working is not required: In general, the correct answer should be given full marks.

Questions that specifically require working: In general, candidates who do not show working on this type of question will get no marks – full details will be given in the mark scheme for each individual question.

3 **Crossed out work**
This should be marked **unless** the candidate has replaced it with an alternative response.

4 **Choice of method**
If there is a choice of methods shown, mark the method that leads to the answer given on the answer line.
If no answer appears on the answer line, mark both methods **then award the lower number of marks.**

5 **Incorrect method**
If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review for your Team Leader to check.

6 **Follow through marks**
Follow through marks which involve a single stage calculation can be awarded without working as you can check the answer, but if ambiguous do not award.
Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

7 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question or its context. (eg an incorrectly cancelled fraction when the unsimplified fraction would gain full marks).

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect (eg. incorrect algebraic simplification).

8 Probability

Probability answers must be given as a fraction, percentage or decimal. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

9 Linear equations

Unless indicated otherwise in the mark scheme, full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously identified in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded (embedded answers).

10 Range of answers

Unless otherwise stated, when an answer is given as a range (eg 3.5 – 4.2) then this is inclusive of the end points (eg 3.5, 4.2) and all numbers within the range

11 Number in brackets after a calculation

Where there is a number in brackets after a calculation eg $2 \times 6 (=12)$ then the mark can be awarded **either** for the correct method, implied by the calculation **or** for the correct answer to the calculation.

12 Use of inverted commas

Some numbers in the mark scheme will appear inside inverted commas eg "12" \times 50 ; the number in inverted commas cannot be any number – it must come from a correct method or process but the candidate may make an arithmetic error in their working.

13 Word in square brackets

Where a word is used in square brackets eg [area] \times 1.5 : the value used for [area] does **not** have to come from a correct method or process but is the value that the candidate believes is the area. If there are any constraints on the value that can be used, details will be given in the mark scheme.

14 Misread

If a candidate misreads a number from the question. eg uses 252 instead of 255; method or process marks may be awarded provided the question has not been simplified. Examiners should send any instance of a suspected misread to review.

Guidance on the use of abbreviations within this mark scheme

M	method mark awarded for a correct method or partial method
P	process mark awarded for a correct process as part of a problem solving question
A	accuracy mark (awarded after a correct method or process; if no method or process is seen then full marks for the question are implied but see individual mark schemes for more details)
C	communication mark awarded for a fully correct statement(s) with no contradiction or ambiguity
B	unconditional accuracy mark (no method needed)
oe	or equivalent
cao	correct answer only
ft	follow through (when appropriate as per mark scheme)
sc	special case
dep	dependent (on a previous mark)
indep	independent
awrt	answer which rounds to
isw	ignore subsequent working

Paper: 1MA1/2F				
Question	Answer	Mark	Mark scheme	Additional guidance
1	1480	B1	cao	
2	$\frac{7}{10}$	B1	oe fraction	
3	3	B1	cao	
4	Suitable number eg 725	B1	for a suitable 3 digit number ending in 0 or 5	
5	40	B1	cao	
6	-11, -7, -2, 3, 8, 10	B1	for -11, -7, -2, 3, 8, 10	Accept reverse order
7 (a)	Hexagon	B1	accept irregular hexagon	Accept unambiguous misspellings
(b)	<i>AF</i>	B1	cao Accept <i>FA</i>	
(c)	<i>AB</i> or <i>EF</i>	B1	<i>AB</i> or <i>EF</i> . Accept <i>BA</i> or <i>FE</i> or both	
8 (a)	3, 2	B1	cao	Allow reasonable hand-drawn attempts
(b)	Point at (-4, 3)	B1	cao	
(c)	Circle drawn, centre (1, -1)	B2 (B1	fully correct diagram circle drawn with radius 4 cm (any centre) or circle drawn using centre (1, -1) $r \neq 4$ cm)	

Paper: 1MA1/2F				
Question	Answer	Mark	Mark scheme	Additional guidance
9 (a)	23	B1	cao	
(b)	10 : 56	M1	for 10 or 56 identified	56 : 10 implies this mark only
		A1	for 10 : 56 or any other equivalent ratio	Accept 1 : 5.6
10	213	P1	for beginning to work with costs eg $1428 - 150 (= 1278)$ or $1428 \div 6 (= 238)$ and $150 \div 6 (= 25)$	
		P1	for complete process to find monthly payment eg " $1278 \div 6$ " or " $238 - 25$ "	
		A1	cao	
11	39 with reasoning	M1	for a method to find angle ACB eg $180 - 116 - 25$	
		A1	for 39	$ACB = 39$ or $x = 39$ or $C = 39$ or just 39 is acceptable for this accuracy mark
		C1	for $x = 39$ with reasoning eg <u>Angles</u> in a <u>triangle</u> add up to 180 and <u>Vertically opposite angles</u> are equal or <u>Vertically opposite angles</u> are equal or <u>Angles</u> on a straight <u>line</u> add up to 180 OR The <u>exterior angle</u> of a triangle is <u>equal</u> to the sum of the <u>interior opposite angles</u> and <u>Angles</u> on a straight <u>line</u> add up to 180	Angle may be shown on diagram if no ambiguity or contradiction The key words underlined must be present. There should be no incorrect reasons given. All reasons given should be used, not just a list of angle facts.

Paper: 1MA1/2F				
Question	Answer	Mark	Mark scheme	Additional guidance
12 (a)	9	B1	cao	<div style="display: flex; justify-content: space-between;"> ÷11 and −8 could be seen in a flow diagram </div> Evidence could be provided by algebraic statement, numerical statements or by diagram
(b)	6	M1	starts to find input using inverse operations eg $154 \div 11 (= 14)$ or indicates $\div 11$ and $- 8$ or derivation of equation eg $(8+ n) \times 11 = 154$ or starting to solve for unknown eg $154 - 8 \times 11 (= 66)$	
		A1	cao	
13	53 19 67 139 17 26 16 59 70 45 83 198	B3 (B2) (B1)	for a fully correct table for at least 7 figures correctly placed) for the 4, 5 or 6 values correctly placed)	
14 (i)	>	B1	cao	
(ii)	=	B1	cao	
15 (a)	774	M1	for at least three of $0 \times 3 (= 0)$ or $1 \times 57 (= 57)$ or $2 \times 84 (= 168)$ or $3 \times 75 (= 225)$ or $4 \times 81 (= 324)$ or for $0 \times 3 + 1 \times 57 + 2 \times 84 + 3 \times 75 + 4 \times 81$	Note if 2 non zero products are seen award M1 Use of the figure 777 is enough for M1 Accept 301 in place of 300 NB mean = 2.58
		A1	cao	
(b)	3	M1 A1	for method to begin to work with the median, eg $300 \div 2 (= 150)$ cao	

Paper: 1MA1/2F							
Question	Answer	Mark	Mark scheme		Additional guidance		
18	13.2	P1 P1 A1	process to convert decimal time, eg $25.3 \times 60 (= 1518)$ or $0.3 \times 60 (= 18)$ OR process to work with mean, eg $[\text{time}] \div 115 (= 0.22)$ or $1 \div (115 \div [\text{time}]) (= 0.22)$ full process to work out mean time allocated for appointment, eg “1518” \div 115 or “0.22” \times 60 cao		[time] could be 25.3 or any other time that has been incorrectly changed from 25.3 hours		
19	1.19	P1 P1 P1 P1 A1	<table border="0"> <tr> <td> process to find number of small bags that can be filled, eg $[3\text{kg}] \div 150 (= 20)$ oe for starting a process to work with percentage for cost of box, eg $17.60 \times \frac{35}{100} (= 6.16)$ or $100 + 35 (= 135)$ </td> <td> works with starting cost per small bag, $17.60 \div “20”$ begins process to work with percentage for a small bag, eg “0.88” $\times \frac{35}{100} (= 0.308)$ full process to find selling price for small bag, “0.88” $\times \frac{135}{100} (= 1.188)$ oe </td> </tr> </table> for full process to work with percentage increase, eg $17.60 \times \frac{135}{100} (= 23.76)$ full process to find selling price for small bag, eg “23.76” \div “20” $(= 1.188)$ cao		process to find number of small bags that can be filled, eg $[3\text{kg}] \div 150 (= 20)$ oe for starting a process to work with percentage for cost of box, eg $17.60 \times \frac{35}{100} (= 6.16)$ or $100 + 35 (= 135)$	works with starting cost per small bag, $17.60 \div “20”$ begins process to work with percentage for a small bag, eg “0.88” $\times \frac{35}{100} (= 0.308)$ full process to find selling price for small bag, “0.88” $\times \frac{135}{100} (= 1.188)$ oe	[3kg] must be 3 and zeros only eg 300 Build up methods are allowed to imply process Cost per small bag given as £0.88 will imply P1P1
process to find number of small bags that can be filled, eg $[3\text{kg}] \div 150 (= 20)$ oe for starting a process to work with percentage for cost of box, eg $17.60 \times \frac{35}{100} (= 6.16)$ or $100 + 35 (= 135)$	works with starting cost per small bag, $17.60 \div “20”$ begins process to work with percentage for a small bag, eg “0.88” $\times \frac{35}{100} (= 0.308)$ full process to find selling price for small bag, “0.88” $\times \frac{135}{100} (= 1.188)$ oe						

Paper: 1MA1/2F				
Question	Answer	Mark	Mark scheme	Additional guidance
20 (a)	0.87, 0.94, 0.94	B2	for all probabilities correct	Accept any equivalent fraction, eg $\frac{87}{100}, \frac{47}{50}$ or equivalent percentage form 87%, 94% Accept any equivalent fraction, eg $\frac{39}{5000}$ or equivalent percentage form 0.78% or 7.8×10^{-3}
(b)	0.0078	(B1	for 0.87 or 0.94 correctly placed)	
		M1	for 0.13×0.06 oe	
		A1	0.0078 oe	
21 (a)	x^{15}	B1	cao	Where $a \geq 1$ and $b \geq 1$
(b)	$40 - 10x$	M1	for method to expand one bracket or collect like terms, eg $4 \times x + 4 \times 3 (= 4x + 12)$ or $7 \times 4 - 7 \times 2x (= 28 - 14x)$ or $4 \times x - 7 \times 2x (= 4x - 14x)$ and $4 \times 3 + 7 \times 4 (= 12 + 28)$	
		A1	oe	
(c)	$3x^2(5x + y)$	M1	for $3(5x^3 + x^2y)$ or $x(15x^2 + 3xy)$ or $3x(5x^2 + xy)$ or $x^2(15x + 3y)$ or $3x^2(ax + by)$	
		A1	cao	
22	translation $\begin{pmatrix} -5 \\ 6 \end{pmatrix}$	B1	for translation	Award no marks if more than one transformation is given
		B1	for vector $\begin{pmatrix} -5 \\ 6 \end{pmatrix}$	Do not accept as a coordinate $(-5, 6)$

Paper: 1MA1/2F				
Question	Answer	Mark	Mark scheme	Additional guidance
23	89.5 and 90.5	B1	for 89.5 in the correct position	
		B1	for 90.5 in the correct position	Accept 90.49 or 90.499(...)
24 (a)	19	P1	for process to find area available at festival B, eg $700 \times 2000 (=1\ 400\ 000)$	
		P1	for finding the area available per person at one festival, eg $80\ 000 \div 425 (= 188.23..)$ or $[\text{area}] \div 6750 (= 207.40..)$	Accept either number rounded eg 207 or 188
		P1	for finding the area available per person at both festivals, eg $80\ 000 \div 425 (= 188.23..)$ and $[\text{area}] \div 6750 (= 207.40..)$	Accept both numbers rounded eg 207 and 188
		A1	answer in the range 18.7 to 19.5	
(b)	explanation	C1	for a valid statement relating to scale factor for area, Acceptable examples there are 10000 (cm ²) in 1 (m ²) because 1 m ² is the same as $100 \times 100 = 10000\ \text{cm}^2$ there are 2 side lengths that change from 1 m to 100 cm $300 \div 3$ is 100 should use 100^2 $300 \div 100 \div 100 = 0.03$ $3 \times 100 \times 100 = 30000$ Because it's area not length. Because it's in m ² not just metres He hasn't taken the squared sign into account Not acceptable examples there are 1000 cm in 1 m Callum is correct because	
			$300 \div 3$ is 100 $3^2 = 9$ $300 \times 300 = 90000$ You have to square the number	

Paper: 1MA1/2F				
Question	Answer	Mark	Mark scheme	Additional guidance
25	14.5, 21	P1 P1 P1 A1	<p>for process to work with coordinates, eg $4 - (-3) (= 7)$ or $9 - 1 (= 8)$</p> <p>for process to use ratio, eg $"7" \div 2 (= 3.5)$ or $"8" \div 2 (= 4)$ or $"7" \times 3 (= 21)$ or $"8" \times 3 (= 24)$</p> <p>for complete process to find either the x or the y coordinate of N, eg $"3.5" \times 3 + 4$ or $"4" \times 3 + 9$ or $"3.5" \times 5 - 3$ or $"4" \times 5 + 1$ OR to find both the required distances eg $"3.5" \times 3 (= 10.5)$ and $"4" \times 3 (= 12)$ or $"21" \div 2 (= 10.5)$ and $"24" \div 2 (= 12)$ or $"3.5" \times 5 (= 17.5)$ and $"4" \times 5 (= 20)$</p> <p>oe</p>	<p>Accept in reverse order eg $-3 - 4 (= -7)$ and negative distances throughout</p> <p>This mark is implied by 10.5 or 12 or 17.5 or 20</p>
26	600.74	M1 M1 A1	<p>works out decrease for one year, eg $679 \times 4 \div 100 (=27.16)$ oe or $679 \times (100 - 4) \div 100 (= 651.84)$ oe</p> <p>for compound method, eg $679 \times "0.96"^t, t \geq 2$ or $"651.84" \times "0.96" (= 625.76..)$ or $"651.84" \times "0.04" (=26.07)$ or for answers in the range 600.71 to 600.74 exclusive</p> <p>accept 600.71 or 600.72 or 600.73 or 600.74</p>	<p>Implied by $679 \times 0.12 (=81.48)$ or $679 \times 0.88 (=597.52)$</p> <p>Values may be rounded or truncated</p> <p>If the correct answer is seen and the difference found award M1M1A0</p>

Paper: 1MA1/2F				
Question	Answer	Mark	Mark scheme	Additional guidance
27	No (supported)	P1 P1 P1 C1	for a conversion with litres and gallons, eg $18 \div 4.5 (= 4)$ or $8 \times 4.5 (= 36)$ for a conversion with £ and euros, eg $27 \times 0.85 (= 22.95)$ or $40.8 \div 0.85 (= 48)$ for finding the unit price, eg $27 \div 18 (= 1.5)$ OR finding proportionality for fuel eg (" 36 " $\div 18$) (= 2) for No with comparative figures, eg No with 20.4 and 22.95 or No with 1.275 and 1.133..	See page at end of mark scheme May compare cost per gallon or cost in euros May be seen in a calculation or given in a description Accept comparative figures rounded or truncated No is implied by eg Wales is cheaper
28	$x = 6.5,$ $y = -2.75$	M1 M1 A1	for a correct method to eliminate either x or y or method leading to substitution (dep) for substituting found value in one of the equations OR correct method after starting again for $x = 6.5, y = -2.75$ oe	(condone one arithmetic error) (condone one arithmetic error)

QUESTION 27 - Additional information NOT Exhaustive

<p><u>Cost per litre in £:</u> $27 \times 0.85 (=22.95)$ $"22.95" \div 18 (=1.275)$ $8 \times 4.5 (=36)$ No and $40.8 \div "36" = 1.133..$ (cost per litre in £ in Wales) compared to 1.275 (cost per litre in £ in Spain).</p>	<p><u>Cost per litre in euros:</u> $27 \div 18 (=1.5)$ $8 \times 4.5 (=36)$ $40.8 \div 0.85 (= 48)$ No and $"48" \div "36" = 1.333..$ (cost per litre in euros in Wales) compared to 1.5 (cost per litre in euros in Spain).</p>
<p><u>Cost per gallon in £:</u> $40.8 \div 8 (=5.1)$ $27 \times 0.85 (=22.95)$ $18 \div 4.5 (= 4)$ No and $"22.95" \div "4" = 5.7375$ (cost per gallon in £ in Spain) compared to 5.1(0) (cost per gallon in £ in Wales).</p>	<p><u>Cost per gallon in euros:</u> $40.8 \div 0.85 (=48)$ $"48" \div 8 (= 6)$ $18 \div 4.5 (=4)$ No and $27 \div "4" = 6.75$ (cost per gallon in euros in Spain) compared to 6 (cost per gallon in euros in Wales).</p> <p><u>Note:</u> $"2"$ comes from $8 \div "4"$ or $"36" \div 18$</p>
<p><u>Cost of 8 gallons in £:</u> $18 \div 4.5 (= 4)$ $27 \times 0.85 (=22.95)$ $"22.95" \times "2" (=45.90)$ No and 45.90 (total cost in £ in Spain) compared to 40.80 (total cost in £ in Wales given).</p>	<p><u>Cost of 8 gallons in euros:</u> $18 \div 4.5 (=4)$ $40.8 \div 0.85 (=48)$ $27 \times "2" (= 54)$ No and 54 (cost for 8 gallons in euros in Spain) compared to 48 (cost of 8 gallons in euros in Wales).</p>
<p><u>Cost of 18 litres in £:</u> $8 \times 4.5 (= 36)$ $40.8 \div "2" (= 20.4)$ $27 \times 0.85 (= 22.95)$ No and 22.95 (cost for 18 litres in £ in Spain) compared to 20.40 (cost of 18 litres in £ in Wales). OR $18 \div 4.5 (= 4)$ $27 \times 0.85 (= 22.95)$ $40.8 \div "2" (= 20.4)$ No and 22.95 (cost for 18 litres in £ in Spain) compared to 20.40 (cost of 18 litres in £ in Wales).</p>	<p><u>Cost of 18 litres in euros:</u> $18 \div 4.5 (=4)$ $40.8 \div 0.85 (=48)$ $"48" \div "2" (= 24)$ No and 24 (cost for 18 litres in euros in Wales) compared to 27 (cost of 18 litres in euros in Spain given). OR $8 \times 4.5 (= 36)$ $40.8 \div "2" (= 20.4)$ $"20.4" \div 0.85 (= 24)$ No and 24 (cost for 18 litres in euros in Wales) compared to 27 (cost of 18 litres in euros in Spain given).</p>

Modifications to the mark scheme for Modified Large Print (MLP) papers: 1MA1 2F

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme. Notes apply to both MLP papers and Braille papers unless otherwise stated.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:

Angles: $\pm 5^\circ$

Measurements of length: ± 5 mm

PAPER: 1MA1_2F

Question		Modification	Mark scheme notes
2		Wording added ‘...to make the calculation below correct.’ Braille: the text frame replaced with a blank space indicator. “Ans: __” added.	Standard mark scheme
3		Wording added ‘Below is a list of nine numbers.’	Standard mark scheme
6		Wording added ‘Write the six numbers below in order of size.’	Standard mark scheme
7		Wording added ‘Look at the diagram for Question 7 in the Diagram Booklet. It shows...’ Diagram enlarged. Shading changed. Braille: Sentence changed to “The diagram shows polygon ABCDEF on a square grid.”	Standard mark scheme
8	(a)	Wording added ‘Look at the diagram for Question 8 in the Diagram Booklet. It shows point A on a grid.’ The wording ‘Here is a centimetre grid’ replaced by ‘1 square length on the grid represents 1 cm.’ The axes labels moved to the top of the vertical axis and to the right of the horizontal axis. Open headed arrows. Diagram enlarged. Change the crosses to dots.	Standard mark scheme
8	(b)	Wording added ‘On the grid in the Diagram Booklet, mark the point...’.	Standard mark scheme
8	(c)	Wording added ‘On the grid in the Diagram Booklet,’	Standard mark scheme
9		Wording added ‘Look at the diagram for Question 9 in the Diagram Booklet. It is a graph which shows...’. The small grid lines removed and intermediates added at intervals of 5. Some values changed so that they can be read on a grid line. Diagram enlarged. February changed to 25. June changed to 55. The axes labels moved to the top of the vertical axis and to the left of the horizontal axis. Open headed arrows. Right axis labelled. The crosses changed to dots.	(a) B1 for 25 cao (b) M1 for 10 or 55 identified A1 for 10 : 55 or any other equivalent ratio

PAPER: 1MA1_2F

Question		Modification	Mark scheme notes
11		Wording added 'Look at the diagram for Question 11 in the Diagram Booklet. It shows...'. Diagram enlarged. The angles moved outside of the angle arcs and the angle arcs made smaller. Wording added: 'Angle $BAC = 116^\circ$ Angle $ABC = 25^\circ$ Angle ECD is marked x '. Braille: Extra information added: "In the diagram: ACD and BCE are straight lines"	Standard mark scheme
12	(a)	Wording added 'Look at the diagram for Question 12(a) in the Diagram Booklet. It shows a number machine.'; Diagram enlarged. Braille: frames removed.	Standard mark scheme.
12	(b)	Wording added 'Look at the diagram for Question 12(b) in the Diagram Booklet. It shows a different number machine.'; Diagram enlarged. Wording added 'Complete the number machine in the Diagram Booklet.' Braille: Boxes removed. In the blank space (i) added, and "Ans: (i) ___"	Standard mark scheme

PAPER: 1MA1_2F

Question	Modification	Mark scheme notes																				
13	<p>Wording added ‘Look at the incomplete two-way table for Question 13 in the Diagram Booklet.’</p> <p>Wording added ‘...to complete the two-way table in the Diagram Booklet. There are twelve spaces to fill.’</p> <p>Braille:</p> <table border="1" data-bbox="454 411 1180 762"> <thead> <tr> <th></th> <th>With mattress</th> <th>Without mattress</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td>Single</td> <td>(iv)</td> <td>17</td> <td>(iii)</td> </tr> <tr> <td>Double</td> <td>(viii)</td> <td>(vii)</td> <td>45</td> </tr> <tr> <td>King size</td> <td>67</td> <td>(vi)</td> <td>83</td> </tr> <tr> <td>Total</td> <td>(v)</td> <td>(ii)</td> <td>(i)</td> </tr> </tbody> </table> <p>Add “Ans: (i) __ (ii) __ (iii) __ (iv) __ (v) __ (vi) __ (vii) __ (viii) __”</p>		With mattress	Without mattress	Total	Single	(iv)	17	(iii)	Double	(viii)	(vii)	45	King size	67	(vi)	83	Total	(v)	(ii)	(i)	<p>Standard mark scheme but for Braille:</p> <p>B3 for a fully correct set of values (B2 for at least 4 values given) (B1 for (i) as 198 and (ii) as 59)</p> <p>Values:</p> <p>(i) 198 (ii) 59 (iii) 70 (iv) 53 (v) 139 (vi) 16 (vii) 26 (viii) 19</p>
	With mattress	Without mattress	Total																			
Single	(iv)	17	(iii)																			
Double	(viii)	(vii)	45																			
King size	67	(vi)	83																			
Total	(v)	(ii)	(i)																			
14	<p>Wording added ‘Below are three mathematical symbols.’ The frame removed.</p> <p>Wording added ‘Choose a symbol to make...’.</p> <p>Braille: “From the box, ...” changed to “From the list, ...”</p>	Standard mark scheme																				
15	Wording added ‘Look at the table for Question 15 in the Diagram Booklet. It shows...’.	Standard mark scheme																				

PAPER: 1MA1_2F

Question	Modification	Mark scheme notes
17	<p>Wording added 'Look at the diagram for Question 17 in the Diagram Booklet. It shows a grid.'</p> <p>Wording 'On the grid below' removed and replaced by 'On the grid in the Diagram Booklet'.</p> <p>Wording added 'Space for working.'</p> <p>The grid cut at $y = 7$ and $y = -2$. The intermediate lines removed at intervals of 0.5.</p> <p>Diagram enlarged. Open headed arrows.</p> <p>The axes labels moved to the top of the vertical axis and to the right of the horizontal axis.</p> <p>Braille: provided with a vertical table of values with the y values to be added with the words "You may use the table below to help you if you wish."</p>	Standard mark scheme
18	<p>Wording added 'Look at the information for Question 18 in the Diagram Booklet. It shows a sign that was in a doctor's waiting room'; Frame removed.</p> <p>Braille: Sentence changed to "The statement below was posted in a doctor's waiting room."</p>	Standard mark scheme
20	<p>Wording added 'Look at the diagram for Question 20 in the Diagram Booklet. It shows an incomplete probability tree diagram.'; Diagram enlarged.</p> <p>Wording added 'Complete the probability tree diagram in the Diagram Booklet. There are three spaces to fill.'</p> <p>Braille: (i), (ii) & (iii) in the blank spaces and "Ans: (i) __ (ii) __ (iii) __"</p>	Standard mark scheme
21	(b) The letter x changed to y .	Standard mark scheme but note change of letter.
22	<p>Wording added 'Look at the diagram for Question 22 in the Diagram Booklet. It shows shape S and shape T on a grid. A cut out shape may be available if you wish to use it.'</p> <p>Cut out shape provided. Diagram enlarged. Shading changed.</p> <p>The axes labels moved to the top of the vertical axis and to the right of the horizontal axis.</p> <p>Open headed arrows. The shapes labelled as 'shape T' and 'shape S'.</p>	Standard mark scheme

