



Mark Scheme (Results)

November 2021

Pearson Edexcel GCSE
In Combined Science (1SC0) Paper 1BF

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

November 2021

Publications Code 1SC0_1BF_2111_MS

All the material in this publication is copyright

© Pearson Education Ltd 2021

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Mark schemes have been developed so that the rubrics of each mark scheme reflects the characteristics of the skills within the AO being targeted and the requirements of the command word. So for example the command word 'Explain' requires an identification of a point and then reasoning/justification of the point.

Explain questions can be asked across all AOs. The distinction comes whether the identification is via a judgment made to reach a conclusion, or, making a point through application of knowledge to reason/justify the point made through application of understanding. It is the combination and linkage of the marking points that is needed to gain full marks.

When marking questions with a 'describe' or 'explain' command word, the detailed marking guidance below should be consulted to ensure consistency of marking.

Assessment Objective		Command Word	
Strand	Element	Describe	Explain
AO1		An answer that combines the marking points to provide a logical description	An explanation that links identification of a point with reasoning/justification(s) as required
AO2		An answer that combines the marking points to provide a logical description, showing application of knowledge and understanding	An explanation that links identification of a point (by applying knowledge) with reasoning/justification (application of understanding)
AO3	1a and 1b	An answer that combines points of interpretation/evaluation to provide a logical description	
AO3	2a and 2b		An explanation that combines identification via a judgment to reach a conclusion via justification/reasoning
AO3	3a	An answer that combines the marking points to provide a logical description of the plan/method/experiment	
AO3	3b		An explanation that combines identifying an improvement of the experimental procedure with a linked justification/reasoning

Question Number	Answer	Mark
1(a)(i)	<p>B chromosome</p> <p>The only correct answer is B</p> <p><i>A is not correct because Z is not an allele</i></p> <p><i>C is not correct because Z is not the spindle</i></p> <p><i>D is not correct because Z is not the nuclear membrane</i></p>	<p>(1)</p> <p>AO1 1</p>

Question Number	Answer	Mark
1(a)(ii)	<p>Any two from:</p> <ul style="list-style-type: none"> • for growth (1) • for repair (of tissues / organs) (1) • for asexual reproduction (1) 	<p>(2)</p> <p>AO1 1</p>

Question Number	Answer	Mark												
1(a)(iii)	<div style="text-align: center;"> <table border="0"> <thead> <tr> <th style="text-align: left;">stage of cell cycle</th> <th style="text-align: left;">description</th> </tr> </thead> <tbody> <tr> <td style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 150px;">interphase</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">the nuclear membrane breaks down</td> </tr> <tr> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">cytokinesis</td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">two nuclei are formed</td> </tr> <tr> <td></td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">the cell divides in two</td> </tr> <tr> <td></td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">a spindle is formed</td> </tr> <tr> <td></td> <td style="border: 1px solid black; border-radius: 10px; padding: 5px;">DNA is copied</td> </tr> </tbody> </table> </div> <p>Do not award mark if two lines are drawn from interphase box</p> <p>Do not award mark if two lines are drawn from cytokinesis box</p>	stage of cell cycle	description	interphase	the nuclear membrane breaks down	cytokinesis	two nuclei are formed		the cell divides in two		a spindle is formed		DNA is copied	<p>(2)</p> <p>AO1 1</p>
stage of cell cycle	description													
interphase	the nuclear membrane breaks down													
cytokinesis	two nuclei are formed													
	the cell divides in two													
	a spindle is formed													
	DNA is copied													

Question Number	Answer	Additional guidance	Mark
1(b)(i)	use a stain / named stain	accept dye accept add a cover slip	(1) A02 2

Question Number	Answer	Mark
1(b)(ii)	D x 400 The only correct answer is D <i>A is not correct because the total magnification is not x 4</i> <i>B is not correct because the total magnification is not x 30</i> <i>C is not correct because the total magnification is not x 50</i>	(1) A02 2

Question Number	Answer	Additional guidance	Mark
1(c)	focusing wheel	accept (move the) stage / lens (up and down) accept (adjust) mirror	(1) A01 1

(Total for question 1 = 8 marks)

Question Number	Answer	Mark									
2(a)(i)	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td></td> <td>D</td> <td>d</td> </tr> <tr> <td>D</td> <td>DD</td> <td>Dd</td> </tr> <tr> <td>d</td> <td>Dd</td> <td>dd</td> </tr> </table> <p>Accept dD for Dd</p>		D	d	D	DD	Dd	d	Dd	dd	<p>(1)</p> <p>AO3 2a</p>
	D	d									
D	DD	Dd									
d	Dd	dd									

Question Number	Answer	Mark
2(a)(ii)	25 (%)	<p>(1)</p> <p>AO3 2b</p>

Question Number	Answer	Additional guidance	Mark
2(a)(iii)	<p>An explanation including:</p> <ul style="list-style-type: none"> all the children will have the genotype Dd / will be heterozygous (1) but to have sickle cell disease the children must have {the genotype dd / two recessive alleles} (1) 	<p>accept children will always inherit a dominant allele / D from their mother</p> <p>accept a correctly completed Punnett square for this marking point</p>	<p>(2)</p> <p>AO2 1</p>

Question Number	Answer	Mark
2(b)	<p>A description including two from:</p> <ul style="list-style-type: none"> • {cross / breed} Brahman cattle with Shorthorn cattle (1) • select the offspring with the desired characteristics and {cross / breed} them (1) • repeat over many generations (1) 	<p>(2) AO2 1</p>

Question Number	Answer	Additional guidance	Mark
2(c)	<p>Any two from:</p> <ul style="list-style-type: none"> • (wheat) plants not damaged (1) • the spread of the fungus would be reduced • greater yield / profit (1) • reduced use of fungicides / pesticides (1) 	<p>accept the (wheat) plants would live longer</p> <p>accept their offspring would also be resistant to fungal disease (1)</p>	<p>(2) AO2 1</p>

(Total for question 2 = 8 marks)

Question Number	Answer	Mark
3(a)	<p>C phenotype</p> <p>The only correct answer is C</p> <p><i>A is not correct because genotype does not describe the physical characteristics</i></p> <p><i>B is not correct because monohybrid does not describe the physical characteristics</i></p> <p><i>D is not correct because heterozygous does not describe the physical characteristics</i></p>	<p>(1)</p> <p>AO1 1</p>

Question Number	Answer	Additional guidance	Mark
3(b)(i)	<p>Any one from:</p> <ul style="list-style-type: none"> • a single result could be anomalous (1) • to calculate a mean (1) 	<p>accept to see if the results are the same / similar</p> <p>ignore references to increasing accuracy</p>	<p>(1)</p> <p>AO1 2</p>

Question Number	Answer	Additional guidance	Mark
3(b)(ii)	<p>Any two from:</p> <ul style="list-style-type: none"> • measure the length / width of the carrot sticks (1) • cut sticks from the same carrot / same part of carrot (1) • use the same variety of carrot (1) • (surface) dry the carrot sticks before weighing (1) 	<p>accept other valid ways of improving this method, e.g. using more than three carrot sticks (1)</p>	<p>(2) A03 3b</p>

Question Number	Answer	Additional guidance	Mark
3(b)(iii)	<p>substitution (0.8 ÷ 4.2) x 100 (1)</p> <p>evaluation 19.048 (1)</p> <p>2 significant figures 19 (%)</p>	<p>full marks for correct answer without any working</p> <p>accept 19.0476 / 19.05 (2)</p> <p>award one mark for rounding an incorrectly calculated answer to 2 significant figures</p>	<p>(3) A02 1</p>

Question Number	Answer	Mark
3(b)(iv)	An explanation linking any two from: <ul style="list-style-type: none">• the carrot sticks gained mass (1)• because water moved into the carrot (cells) (1)• by osmosis / description of osmosis (1)	(2) A03 2a 2b

(Total for question 3 = 9 marks)

Question Number	Answer	Mark
4(a)	<p>B because they speed up biological processes</p> <p>The only correct answer is B</p> <p><i>A is not correct because enzymes do not slow down biological processes</i></p> <p><i>C is not correct because enzymes do not denature biological processes</i></p> <p><i>D is not correct because enzymes do not stop biological processes</i></p>	<p>(1)</p> <p>AO1 1</p>

Question Number	Answer	Mark
4(b)(i)	use a water bath / description of a water bath	<p>(1)</p> <p>AO1 2</p>

Question Number	Answer	Additional guidance	Mark
4(b)(ii)	<p>An explanation linking three from:</p> <ul style="list-style-type: none"> • enzymes have an optimum temperature (1) • so temperature will affect the rate of enzyme activity / the time taken to produce 20cm³ of oxygen (1) • enzyme activity increases as temperature increases (up to the enzyme's optimum temperature) (1) • {enzymes / active sites} are denatured / enzyme activity stops at high temperatures (1) 	<p>accept hydrogen peroxide concentration is the independent variable, so other variables (such as temperature) must be controlled (1)</p>	<p>(3)</p> <p>A02 1</p>

Question Number	Answer	Additional guidance	Mark
4(b)(iii)	<ul style="list-style-type: none"> • all 4 points plotted accurately (\pm half a small square) (1) • smooth curve / dot-to-dot line drawn (1) 	<p>ignore extrapolations</p>	<p>(2)</p> <p>A03 1a 1b</p>

Question Number	Answer	Additional guidance	Mark
4(b)(iv)	<p>A description including:</p> <ul style="list-style-type: none"> the time taken to collect 20 cm³ oxygen decreases as hydrogen peroxide concentration increases (1) the curve flattens (1) the correct use of data from the table (1) 	<p>accept negative correlation</p> <p>data must be used not just quoted from the table</p>	<p>(3)</p> <p>AO3 1a</p> <p>1b</p>

(Total for question 4 = 10 marks)

Question Number	Answer	Mark
5(a)(i)	arrow showing direction of travel is from left to right	(1) AO1 1

Question Number	Answer	Mark
5(a)(ii)	K – myelin (sheath) (1) L – axon (1)	(2) AO1 1

Question Number	Answer	Additional guidance	Mark
5(b)(i)	A description including three from: <ul style="list-style-type: none"> • the impulse (in the relay neurone) triggers the release of a chemical (1) • neurotransmitter (1) • (neurotransmitter) diffuses (1) • across the synapse (1) • new impulse triggered in {motor neurone / next neurone} (1) 	accept chemical messenger accept across the gap	(3) AO1 1

Question Number	Answer	Additional guidance	Mark
5(b)(ii)	<p>An explanation linking two from:</p> <ul style="list-style-type: none"> • a process that occurs in response to danger (1) • which bypasses the {brain / parts of the brain} / is an {involuntary process / subconscious process} (1) • so there is a faster transmission (of electrical impulses) / faster response / allows a quick reaction (1) • to protect the body from harm (1) 	<p>accept goes to the spinal cord accept react without thinking</p> <p>accept examples of actions to protect the body e.g. pulling hand away</p>	<p>(2)</p> <p>AO1 1</p>

Question Number	Answer	Mark
5(c)(i)	<p>C 215 milliseconds</p> <p>The only correct answer is C</p> <p><i>A is not correct because the median is not 200 milliseconds</i></p> <p><i>B is not correct because the median is not 210 milliseconds</i></p> <p><i>D is not correct because the median is not 225 milliseconds</i></p>	<p>(1)</p> <p>AO2 1</p>

Question Number	Answer	Mark
6(a)	World Health Organization / WHO	(1) AO1 1

Question Number	Answer	Additional guidance	Mark
6(b)(i)	<p>An answer including two from:</p> <ul style="list-style-type: none"> • (communicable) is passed from person to person (1) • (communicable) caused by {pathogens / example of pathogen} (1) • (communicable diseases) cannot be inherited (1) 	accept reverse arguments for non-communicable diseases	(2) AO1 1

Question Number	Answer	Additional guidance	Mark
6(b)(ii)	<p>An explanation including:</p> <ul style="list-style-type: none"> • {cough / sneeze} into a tissue / avoid close contact with infected people / avoid cramped living conditions (1) • because spread of TB is airborne droplets / TB is spread through the air (1) <p>OR</p> <ul style="list-style-type: none"> • vaccination / immunisation (1) • to provide immunity / reduces the chance of a person getting infected (1) <p>OR</p> <ul style="list-style-type: none"> • treat infected people with antibiotics (1) • reduces the number of infected people (1) 	<p>accept regular hand washing / wear a mask / isolate an infected person</p> <p>accept spread by coughing / breathing it {in / out}</p> <p>accept reduces the chances of contact with an infected person</p>	<p>(2)</p> <p>AO2 1</p>

Question Number	Answer	Additional guidance	Mark
6(b)(iii)	<ul style="list-style-type: none"> • suitable heading for each column, with country in left column (1) • all data entered accurately (1) 	<p>accept country / region / number of people / people with TB</p> <p>countries can be entered in any order</p>	<p>(2)</p> <p>AO2 1</p>

Question Number	Indicative content	Mark
6(c)*	<p>Physical barriers</p> <ul style="list-style-type: none"> • mucus is produced by cells that line some surfaces of the body • mucus traps pathogens • cilia are found on epithelial / lining cells • ciliated cells line the inside of the respiratory system • cilia move mucus across the surface of cells • cilia move pathogens out of the body / into the throat • skin is a thick covering over the body • skin has dead cells on its surface • skin is waterproof • pathogens are unable to enter the body through the skin • tears wash pathogens away • ear wax traps pathogens • nasal hairs trap pathogens • blood clots / scabs cover wounds to prevent the entry of pathogens <p>Chemical defences</p> <ul style="list-style-type: none"> • skin has glands that secrete lysozymes • lysozymes are enzymes found in tears, saliva and mucus • lysozymes kill some bacteria • hydrochloric acid is in the stomach • hydrochloric acid has a low pH which kills many pathogens • antibodies are present on mucus linings 	<p>(6)</p> <p>AO1 1</p>

Level	Mark	Descriptor
	0	<ul style="list-style-type: none"> No rewardable material.
Level 1	1-2	<ul style="list-style-type: none"> Demonstrates elements of biological understanding, some of which is inaccurate. Understanding of scientific ideas lacks detail. Presents an explanation with some structure and coherence.
Level 2	3-4	<ul style="list-style-type: none"> Demonstrates biological understanding, which is mostly relevant but may include some inaccuracies. Understanding of scientific ideas is not fully detailed and / or developed. Presents an explanation that has a structure which is mostly clear, coherent and logical.
Level 3	5-6	<ul style="list-style-type: none"> Demonstrates accurate and relevant biological understanding throughout. Understanding of the scientific ideas is detailed and fully developed. Presents an explanation that has a well-developed structure which is clear, coherent and logical.

Level 1	1-2	<ul style="list-style-type: none"> a physical barrier OR a chemical defence is identified a function of the physical barrier OR a chemical defence is described
Level 2	3-4	<ul style="list-style-type: none"> more than one physical barrier OR more than one chemical defence is identified functions of the physical barriers OR chemical defences are described <p>OR</p> <ul style="list-style-type: none"> a physical barrier AND a chemical defence are identified a function of the physical barrier AND a function of the chemical defence are described
Level 3	5-6	<ul style="list-style-type: none"> more than one physical barrier AND more than one chemical defence are identified functions of most of these physical barriers AND chemical defences are described

(Total for question 6 = 13 marks)